




Hamster IgG Isotype Control

Cat. No.	Format	Size
0121-01	Purified (UNLB)	5.0 mg
0121-02	Fluorescein (FITC)	0.5 mg
0121-08	Biotin (BIOT)	0.5 mg
0121-09	R-phycoerythrin (PE)	0.1 mg
0121-11	Allophycocyanin (APC)	0.1 mg
0121-13	Spectral Red® (SPRD)	0.1 mg
0121-14	Low Endotoxin, Azide-Free (LE/AF)	0.5 mg
0121-15	Cyanine 5 (CY5)	0.5 mg
0121-17	R-phycoerythrin-Cyanine 7 (PE/CY7)	0.1 mg
0121-18	Allophycocyanin-Cyanine 5.5 (APC/CY5.5)	0.1 mg
0121-26	Pacific Blue™ (PACBLU)	0.1 mg
0121-27	Alexa Fluor® 700 (AF700)	0.1 mg
0121-30	Alexa Fluor® 488 (AF488)	0.1 mg
0121-31	Alexa Fluor® 647 (AF647)	0.1 mg



BALB/c mouse splenocytes were stained with Hamster IgG-APC (SB Cat. No. 0121-11; gray) and Hamster Anti-Mouse CD3 ϵ -APC (SB Cat. No. 1530-11).

Description

Isotype	Hamster IgG
Source	Normal Syrian hamster serum

Applications

Quality tested applications include –

FC¹⁻³
ELISA
FLISA

Other referenced applications include –

In vivo control⁴

Working Dilutions

Flow Cytometry	FITC, BIOT, PACBLU, and AF488 conjugates	$\leq 1 \mu\text{g}/10^6$ cells
	PE, APC, SPRD, CY5, PE/CY7, APC/CY5.5, AF647, and AF700 conjugates	$\leq 0.2 \mu\text{g}/10^6$ cells

For flow cytometry, the suggested use of these reagents is in a final volume of 100 μL .

Other Applications Since applications vary, you should determine the optimum working dilution for the product that is appropriate for your specific need.

For Research Use Only. Not for Diagnostic or Therapeutic Use.

Corporate Offices: 160 Oxmoor Blvd • Birmingham, AL 35209 • USA Mailing Address: P.O. Box 26221 • Birmingham, AL 35260 • USA

Tel: 205.945.1774 • U.S. and Canada: 800.722.2255 • Fax: 205.945.8768

Email: info@southernbiotech.com • Website: www.southernbiotech.com

Handling and Storage

- The purified (UNLB) IgG is supplied as 5.0 mg of purified immunoglobulin in 1.0 mL of borate buffered saline, pH 8.2. *No preservatives or amine-containing buffer salts added.* Store at 2-8°C.
- The fluorescein (FITC) conjugate is supplied as 0.5 mg in 1.0 mL of PBS/NaN₃. Store at 2-8°C.
- The biotin (BIOT) conjugate is supplied as 0.5 mg in 1.0 mL of PBS/NaN₃. Store at 2-8°C.
- The R-phycoerythrin (PE) and allophycocyanin (APC) conjugates are supplied as 0.1 mg in 1.0 mL of PBS/NaN₃ and a stabilizing agent. Store at 2-8°C. **Do not freeze!**
- The Spectral Red® (SPRD), R-phycoerythrin-Cyanine 7 (PE/CY7), and allophycocyanin-Cyanine 5.5 (APC/CY5.5) conjugates are supplied as 0.1 mg in 1.0 mL of PBS/NaN₃ and a stabilizing agent. Store at 2-8°C. **Do not freeze!**
- The low endotoxin, azide-free (LE/AF) antibody is supplied as 0.5 mg purified immunoglobulin in 1.0 mL of PBS. Contains no preservative; handle under aseptic conditions. Store at 2-8°C or aliquot into smaller volumes and store at -20°C. Avoid multiple freeze / thaw cycles.
- The Cyanine 5 (CY5) conjugate is supplied as 0.5 mg in 1.0 mL of PBS/NaN₃. Store at 2-8°C.
- The Alexa Fluor® 488 (AF488), Alexa Fluor® 647 (AF647), Alexa Fluor® 700 (AF700), and Pacific Blue™ (PACBLU) conjugates are supplied as 0.1 mg in 0.2 mL of PBS/NaN₃. Store at 2-8°C.
- Protect fluorochrome-conjugated forms from light. Reagents are stable for the period shown on the label if stored as directed.

Warning

Some reagents contain sodium azide. Please refer to product specific SDS.

References

1. Abernethy NJ, Hagan C, Tan PL, Watson JD. Dysregulated expression of CD69 and IL-2 receptor α and β chains on CD8⁺ T lymphocytes in flaky skin mice. *Immunol Cell Biol.* 2000;78:596-602. (FC)
2. Laronne-Bar-On A, Zipori D, Haran-Ghera N. Increased regulatory versus effector T cell development is associated with thymus atrophy in mouse models of multiple myeloma. *J Immunol.* 2008;181:3714-24. (FC)
3. Wang D, Zhou R, Yao Y, Zhu X, Yin Y, Zhao G, et al. Stimulation of $\alpha 7$ nicotinic acetylcholine receptor by nicotine increases suppressive capacity of naturally occurring CD4⁺CD25⁺ regulatory T cells in mice in vitro. *J Pharmacol Exp Ther.* 2010;335:553-61. (FC)
4. Christen U, McGavern DB, Luster AD, von Herrath MG, Oldstone MB. Among CXCR3 chemokines, IFN- γ -inducible protein of 10 kDa (CXC chemokine ligand (CXCL) 10) but not monokine induced by IFN- γ (CXCL9) imprints a pattern for the subsequent development of autoimmune disease. *J Immunol.* 2003;171:6838-45. (*In vivo* control)

Spectral Red® is a registered trademark of Southern Biotechnology Associates, Inc.

Spectral Red® is a PE/CY5 tandem conjugate.

Cy™ is a trademark of Cytiva or one of its subsidiaries.

Alexa Fluor® 488, 647, 700 and Pacific Blue™ are provided under an agreement between Molecular Probes, Inc. (a wholly owned subsidiary of Invitrogen Corporation), and Southern Biotechnology Associates, Inc., and the manufacture, use, sale or import of this product may be subject to one or more U.S. patents, pending applications, and corresponding non-U.S. equivalents, owned by Molecular Probes, Inc. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The buyer cannot sell or otherwise transfer (a) this product (b) its components or (c) materials made using this product or its components to a third party or otherwise use this product or its components or materials made using this product or its components for Commercial Purposes. Commercial Purposes means any activity by a party for consideration and may include, but is not limited to: (1) use of the product or its components in manufacturing; (2) use of the product or its components to provide a service, information, or data; (3) use of the product or its components for therapeutic, diagnostic or prophylactic purposes; or (4) resale of the product or its components, whether or not such product or its components are resold for use in research. For information on purchasing a license to this product for any other use, contact Molecular Probes, Inc., Business Development, 29851 Willow Creek Road, Eugene, OR 97402, USA, Tel: (541) 465-8300. Fax: (541) 335-0504.