


Goat Anti-Mouse IgG₃, Human/Bovine/Horse SP ads

| Cat. No. | Format | Size |
|----------|------------------------------|--------|
| 1103-01 | Purified (UNLB) | 1.0 mg |
| 1103-02 | Fluorescein (FITC) | 1.0 mg |
| 1103-04 | Alkaline Phosphatase (AP) | 1.0 mL |
| 1103-05 | Horseradish Peroxidase (HRP) | 1.0 mL |
| 1103-08 | Biotin (BIOT) | 1.0 mg |



Dilution of Goat Anti-Mouse IgG3, Human/Bovine/Horse SP ads-FITC

FLISA plate was coated with purified mouse IgG1, IgG2a, IgG2b, IgG3, IgM, and IgA. Immunoglobulins were detected with serially diluted Goat Anti-Mouse IgG3, Human/Bovine/Horse SP ads-FITC (SB Cat. No. 1103-02).

Description

Specificity Reacts with the heavy chain of mouse IgG₃

Source Pooled antisera from goats hyperimmunized with mouse IgG₃

Cross Adsorption Mouse IgG₁, IgG_{2a}, IgG_{2b}, IgM, and IgA; human, bovine, and horse serum proteins (SP); may react with

immunoglobulins from other species

Purification Affinity chromatography on mouse IgG₃ covalently linked to agarose

Applications

Quality tested applications include -

ELISA FLISA

Working Dilutions

| ELISA | Purified (UNLB) antibody | ≤ 1 μg/mL |
|--------------------|---|--------------------|
| | AP conjugate | 1:2,000 - 1:4,000 |
| | HRP conjugate | 1:4,000 - 1:8,000 |
| | BIOT conjugate | 1:5,000 - 1:20,000 |
| FLISA | FITC conjugate | 1:200 – 1:400 |
| Other Applications | Since applications vary, you should determine the optimum working dilution for the product that | |

Since applications Since applications vary, you should determine the optimizing dilution for the product that is

appropriate for your specific need.

For Research Use Only. Not for Diagnostic or Therapeutic Use.

Handling and Storage

- The purified (UNLB) antibody is supplied as 1.0 mg purified immunoglobulin in 1.0 mL of borate buffered saline, pH 8.2. No preservatives or amine-containing buffer salts added. Store at 2-8°C.
- The fluorescein (FITC) conjugate is supplied as 1.0 mg in 1.0 mL of PBS/NaN₃. Store at 2-8°C.
- The alkaline phosphatase (AP) conjugate is supplied as 1.0 mL in a stock solution of 50 mM Tris/1 mM MgCl₂/50% glycerol, pH 8.0, containing NaN₃ as preservative. Store at 2-8°C or long-term at -20°C.
- The horseradish peroxidase (HRP) conjugate is supplied as 1.0 mL in a stock solution of 50% glycerol/50% PBS, pH 7.4. No preservative added. Store at 2-8°C or long-term at -20°C.
- The biotin (BIOT) conjugate is supplied as 1.0 mg in 2.0 mL of PBS/NaN₃. Store at 2-8°C.
- Protect fluorochrome-conjugated forms from light. Reagents are stable for the period shown on the label if stored as directed.

Warning

Some reagents contain sodium azide. Please refer to product specific SDS.

Email: info@southernbiotech.com • Website: www.southernbiotech.com