



## Mouse Anti-Human IL-25

Cat. No.	Format	Size
15650-01	Purified (UNLB)	0.5 mg

### Overview

<b>Clone</b>	SB129a
<b>Isotype</b>	Mouse (BALB/c) IgG <sub>1</sub> κ
<b>Immunogen</b>	<i>E. coli</i> -expressed human IL-25
<b>Specificity</b>	Human IL-25
<b>Alternate Name(s)</b>	Interleukin-25, interleukin-17E, IL-17E

### Description

Interleukin-25 (IL-25), also known as interleukin-17E (IL-17E), is a 17 kDa protein and member of the IL-17 cytokine family. This cytokine is secreted by a variety of cells including type 2 helper T cells (Th2), bone marrow-derived mast cells, and alveolar macrophages. On target cells, IL-25 can induce the production of several type 2 cytokines including IL-4, IL-5, and IL-13 and implicates a role for this cytokine in type 2 immune response. Studies have linked this cytokine in promoting airway hyperreactivity, limiting pro-inflammatory cytokine production and chronic intestinal inflammation, and providing protective immunity following intestinal helminth infection.

### Applications

ELISA – Quality tested

### Working Dilutions

<b>ELISA</b>	Purified (UNLB) antibody	≤ 1 µg/mL
<b>Other Applications</b>	Since applications vary, you should determine the optimum working dilution for the product that is appropriate for your specific need.	

### Handling and Storage

- The purified (UNLB) antibody is supplied as 0.5 mg purified immunoglobulin in 1.0 mL of borate buffered saline, pH 8.2. *No preservatives or amine-containing buffer salts added.* Store at 2-8°C.
- Reagent is stable for the period shown on the label if stored as directed.

**For Research Use Only. Not for Diagnostic or Therapeutic Use.**

TB15650  
23-Jun-16