




Rabbit Anti-Sheep IgG(H+L)

Cat. No.	Format	Size
6150-01	Purified (UNLB)	1.0 mg
6150-02	Fluorescein (FITC)	1.0 mg
6150-03	Rhodamine (TRITC)	1.0 mg
6150-04	Alkaline Phosphatase (AP)	1.0 mL
6150-05	Horseradish Peroxidase (HRP)	1.0 mL
6150-08	Biotin (BIOT)	1.0 mg



ELISA plate was coated with purified sheep IgG. Immunoglobulin was detected with Rabbit Anti-Sheep IgG(H+L)-HRP (SB Cat. No. 6150-05).

Description

Specificity	Reacts with the heavy and light chains of sheep IgG
Source	Pooled antisera from rabbits hyperimmunized with sheep IgG
Cross Adsorption	None; may react with immunoglobulins from other species and the light chains of other sheep immunoglobulins
Purification	Affinity chromatography on sheep IgG covalently linked to agarose

Applications

Quality tested applications include –

ELISA¹⁻¹¹
FLISA

Other referenced applications include –

IHC-FS^{12,13}
ICC¹⁴
WB^{8,15-18}

Working Dilutions

ELISA	AP conjugate	1:2,000 – 1:4,000
	HRP conjugate	1:4,000 – 1:8,000
	BIOT conjugate	1:5,000 – 1:20,000
FLISA	FITC conjugate	1:200 – 1:400
	TRITC conjugate	1:100 – 1:400

Other Applications Since applications vary, you should determine the optimum working dilution for the product that is appropriate for your specific need.

For Research Use Only. Not for Diagnostic or Therapeutic Use.

Corporate Offices: 160 Oxmoor Blvd • Birmingham, AL 35209 • USA Mailing Address: P.O. Box 26221 • Birmingham, AL 35260 • USA

Tel: 205.945.1774 • U.S. and Canada: 800.722.2255 • Fax: 205.945.8768

Email: info@southernbiotech.com • Website: www.southernbiotech.com

Handling and Storage

- The purified (UNLB) antibody is supplied as 1.0 mg purified immunoglobulin in 1.0 mL of borate buffered saline, pH 8.2. *No preservatives or amine-containing buffer salts added.* Store at 2-8°C.
- The fluorescein (FITC) and rhodamine (TRITC) conjugates are supplied as 1.0 mg in 1.0 mL of PBS/NaN₃. Store at 2-8°C.
- The alkaline phosphatase (AP) conjugate is supplied as 1.0 mL in a stock solution of 50 mM Tris/1 mM MgCl₂/50% glycerol, pH 8.0, containing NaN₃ as preservative. Store at 2-8°C or long-term at -20°C.
- The horseradish peroxidase (HRP) conjugate is supplied as 1.0 mL in a stock solution of 50% glycerol/50% PBS, pH 7.4. *No preservative added.* Store at 2-8°C or long-term at -20°C.
- The biotin (BIOT) conjugate is supplied as 1.0 mg in 2.0 mL of PBS/NaN₃. Store at 2-8°C.
- Protect fluorochrome-conjugated forms from light. Reagents are stable for the period shown on the label if stored as directed.

Warning

Some reagents contain sodium azide. Please refer to product specific SDS.

References

1. Kennedy NJ, Spithill TW, Tennent J, Wood PR, Piedrafita D. DNA vaccines in sheep: CTLA-4 mediated targeting and CpG motifs enhance immunogenicity in a DNA prime/protein boost strategy. *Vaccine*. 2006;24:970-9. (ELISA)
2. Wee JL, Scheerlinck JY, Snibson KJ, Edwards S, Pearse M, Quinn C, et al. Pulmonary delivery of ISCOMATRIX influenza vaccine induces both systemic and mucosal immunity with antigen dose sparing. *Mucosal Immunol*. 2008;1:489-96. (ELISA)
3. Greenwood DL, Dynon K, Kalkanidis M, Xiang S, Plebanski M, Scheerlinck JY. Vaccination against foot-and-mouth disease virus using peptides conjugated to nano-beads. *Vaccine*. 2008;26:2706-13. (ELISA)
4. Carey AJ, Timms P, Rawlinson G, Brumm J, Nilsson K, Harris JM, et al. A multi-subunit chlamydial vaccine induces antibody and cell-mediated immunity in immunized koalas (*Phascolarctos cinereus*): comparison of three different adjuvants. *Am J Reprod Immunol*. 2010;63:161-72. (ELISA)
5. Vujanic A, Wee JL, Snibson KJ, Edwards S, Pearse M, Quinn C, et al. Combined mucosal and systemic immunity following pulmonary delivery of ISCOMATRIX™ adjuvanted recombinant antigens. *Vaccine*. 2010;28:2593-7. (ELISA)
6. Santarém VA, Chesine PA, Lamers BE, Rubinsky-Elefant G, Giuffrida R. Anti-Toxocara spp. antibodies in sheep from southeastern Brazil. *Vet Parasitol*. 2011;179:283-6. (ELISA)
7. Vujanic A, Snibson KJ, Wee JL, Edwards SJ, Pearse MJ, Scheerlinck JY, et al. Long-term antibody and immune memory response induced by pulmonary delivery of the influenza Iscomatrix vaccine. *Clin Vaccine Immunol*. 2012;19:79-83. (ELISA)
8. Mukherjee J, McCann C, Ofori K, Hill J, Baldwin K, Shoemaker CB, et al. Sheep monoclonal antibodies prevent systemic effects of botulinum neurotoxin A1. *Toxins*. 2012;4:1565-81. (ELISA, WB)
9. Tellez J, Van Vliet K, Tseng Y, Finn JD, Tschernia N, Almeida-Porada G, et al. Characterization of naturally-occurring humoral immunity to AAV in sheep. *PLoS One*. 2013;8(9):e75142. (ELISA)
10. Kollipara A, Polkinghorne A, Beagley KW, Timms P. Vaccination of koalas with a recombinant *Chlamydia pecorum* major outer membrane protein induces antibodies of different specificity compared to those following a natural live infection. *PLoS One*. 2013;8(9):e74808. (ELISA)
11. Gunawardana M, Baum MM, Smith TJ, Moss JA. An intravaginal ring for the sustained delivery of antibodies. *J Pharm Sci*. 2014;103:3611-20. (ELISA)
12. Raats CJ, van den Born J, Bakker MA, Oppers-Walgreen B, Pisa BJ, Dijkman HB, et al. Expression of agrin, dystroglycan, and utrophin in normal renal tissue and in experimental glomerulopathies. *Am J Pathol*. 2000;156:1749-65. (IHC-FS)
13. Ge Y, Jiang C, Sung SJ, Bagavant H, Dai C, Wang H, et al. Cgnz1 allele confers kidney resistance to damage preventing progression of immune complex-mediated acute lupus glomerulonephritis. *J Exp Med*. 2013;210:2387-401. (IHC-FS)
14. Peattie DA, Alonso RA, Hein A, Caulfield JP. Ultrastructural localization of giardins to the edges of disk microribbons of *Giardia lamblia* and the nucleotide and deduced protein sequence of alpha giardin. *J Cell Biol*. 1989;109:2323-35. (ICC)
15. Rosinha GM, Myioishi A, Azevedo V, Splitter GA, Oliveira SC. Molecular and immunological characterisation of recombinant *Brucella abortus* glyceraldehyde-3-phosphate-dehydrogenase, a T- and B-cell reactive protein that induces partial protection when co-administered with an interleukin-12-expressing plasmid in a DNA vaccine formulation. *J Med Microbiol*. 2002;51:661-71. (WB)
16. Kollipara A, George C, Hanger J, Loader J, Polkinghorne A, Beagley K, et al. Vaccination of healthy and diseased koalas (*Phascolarctos cinereus*) with a *Chlamydia pecorum* multi-subunit vaccine: evaluation of immunity and pathology. *Vaccine*. 2012;30:1875-85. (WB)
17. Hu D, Wang Y, Chen Z, Ma Z, You Q, Zhang X, et al. Artemisinin protects against dextran sulfate-sodium-induced inflammatory bowel disease, which is associated with activation of the pregnane X receptor. *Eur J Pharmacol*. 2014;738:273-84. (WB)
18. Hu D, Wang Y, Chen Z, Ma Z, You Q, Zhang X, et al. The protective effect of piperine on dextran sulfate sodium induced inflammatory bowel disease and its relation with pregnane X receptor activation. *J Ethnopharmacol*. 2015;169:109-23. (WB)