




Goat Anti-Human IgG(H+L), Multi-Species SP ads

Cat. No.	Format	Size
2087-01	Purified (UNLB)	1.0 mg
2087-02	Fluorescein (FITC)	1.0 mg
2087-04	Alkaline Phosphatase (AP)	1.0 mL
2087-05	Horseradish Peroxidase (HRP)	1.0 mL
2087-08	Biotin (BIOT)	1.0 mg



ELISA plate was coated with purified human IgG, IgM, and IgA. Immunoglobulins were detected with serially diluted Goat Anti-Human IgG(H+L), Multi-Species SP ads-AP (SB Cat. No. 2087-04).

Description

Specificity	Reacts with the heavy and light chains of human IgG and the light chains of human IgM and IgA
Source	Pooled antisera from goats hyperimmunized with human IgG
Cross Adsorption	Rabbit, mouse, rat, bovine, horse, hamster, goat, sheep, chicken, and guinea pig serum proteins (SP); may react with immunoglobulins from other species
Purification	Affinity chromatography on human IgG covalently linked to agarose

Applications

Quality tested applications include –

- ELISA
- FLISA

Working Dilutions

ELISA	Purified (UNLB) antibody	≤ 1 µg/mL
	AP conjugate	1:2,000 – 1:4,000
	HRP conjugate	1:2,000 – 1:8,000
	BIOT conjugate	1:5,000 – 1:20,000
FLISA	FITC conjugate	1:200 – 1:400
Other Applications	Since applications vary, you should determine the optimum working dilution for the product that is appropriate for your specific need.	

For Research Use Only. Not for Diagnostic or Therapeutic Use.

Handling and Storage

- The purified (UNLB) antibody is supplied as 1.0 mg purified immunoglobulin in 1.0 mL of borate buffered saline, pH 8.2. *No preservatives or amine-containing buffer salts added.* Store at 2-8°C.
- The fluorescein (FITC) conjugate is supplied as 1.0 mg in 1.0 mL of PBS/NaN₃. Store at 2-8°C.
- The alkaline phosphatase (AP) conjugate is supplied as 1.0 mL in a stock solution of 50 mM Tris/1 mM MgCl₂/50% glycerol, pH 8.0, containing NaN₃ as preservative. Store at 2-8°C or long-term at -20°C.
- The horseradish peroxidase (HRP) conjugate is supplied as 1.0 mL in a stock solution of 50% glycerol/50% PBS, pH 7.4. No preservative added. Store at 2-8°C or long-term at -20°C.
- The biotin (BIOT) conjugate is supplied as 1.0 mg in 2.0 mL of PBS/NaN₃. Store at 2-8°C.
- Protect fluorochrome-conjugated forms from light. Reagents are stable for the period shown on the label if stored as directed.

Warning

Some reagents contain sodium azide. Please refer to product specific SDS.